

## LUMITEC LIGHTING

Phone: +63 917 636 6740

Tel: (02) 7091 2611

E-mail: [sales@lumitec.ph](mailto:sales@lumitec.ph)/[lumiteclightingspecialistinc@gmail.com](mailto:lumiteclightingspecialistinc@gmail.com)

Web: [lumitec.ph](http://lumitec.ph)

Address: Unit 101 G/F Pearl of the Orient Tower

Roxas Boulevard, Ermita, Manila

**LUMITEC LIGHTING**  
SPECIALIST INC.

Interior  
Landscaping  
Façade

## LIGHTING PRODUCTS

Lighting  
Control  
Building  
Automation  
Control

## CONTROL SYSTEMS

Light Planning &  
Visualization  
System  
Configuration  
Installation

## SERVICES

# WHO WE ARE

---

Lumitec Lighting Specialist Inc is a professional interior and exterior lighting solutions provider. Our team is composed of experienced sales staff and highly technical engineers that can deliver project grade supply of lightings in a cost effective manner.

Our team is also experienced in system configuration and commissioning of Lighting control automation for residential and commercial projects. With our vast knowledge and experience, we are able to coordinate with lighting designers with regards to their light planning and visualization.



## HJ18-601



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No. | Power     | LM  | Voltage  | A   | B   | C(mm) |
|----------|-----------|-----|----------|-----|-----|-------|
| HJ18-601 | 7W        | 560 | 110-265V | ø65 | 145 | 400   |
| HJ18-601 | GU10/G5.3 | -   | -        | ø65 | 145 | 400   |



## HJ18-602



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No. | Power     | LM  | Voltage  | A  | B   | C(mm) |
|----------|-----------|-----|----------|----|-----|-------|
| HJ18-602 | 7W        | 560 | 110-265V | 75 | 135 | 350   |
| HJ18-602 | GU10/G5.3 | -   | -        | 75 | 135 | 350   |

## HJ18-603



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No. | Power     | LM  | Voltage  | A  | B   | C(mm) |
|----------|-----------|-----|----------|----|-----|-------|
| HJ18-603 | 7W        | 560 | 110-265V | 75 | 145 | 360   |
| HJ18-603 | GU10/G5.3 | -   | -        | 75 | 145 | 360   |



## HJ18-604



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No. | Power     | LM  | Voltage  | A   | B  | C(mm) |
|----------|-----------|-----|----------|-----|----|-------|
| HJ-604   | 10W       | 500 | 110-265V | φ58 | 92 | 180   |
| HJ-604   | GU10/G5.3 | -   | -        | φ58 | 92 | 180   |

## HJ18-605



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No. | Power     | LM  | Voltage  | A   | B  | C(mm) |
|----------|-----------|-----|----------|-----|----|-------|
| HJ18-605 | 10W       | 500 | 110-265V | φ58 | 92 | 315   |
| HJ18-605 | GU10/G5.3 | -   | -        | φ58 | 92 | 315   |





## HJ18-606



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No. | Power     | LM  | Voltage  | A   | B   | C(mm) |
|----------|-----------|-----|----------|-----|-----|-------|
| HJ18-606 | 10W       | 450 | 110-265V | φ58 | 175 | 260   |
| HJ18-606 | GU10/G5.3 | -   | -        | φ58 | 175 | 260   |

## HJ18-607



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No. | Power     | LM  | Voltage  | A   | B   | C(mm) |
|----------|-----------|-----|----------|-----|-----|-------|
| HJ18-607 | 10W       | 450 | 110-265V | φ58 | 175 | 315   |
| HJ18-607 | GU10/G5.3 | -   | -        | φ58 | 175 | 315   |





## HJ18-608



Ingress Protection: IP65  
Material: Glass+Plastic  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No. | Power     | LM | Voltage | A   | B   | C(mm) |
|----------|-----------|----|---------|-----|-----|-------|
| HJ18-608 | GU10/G5.3 | -  | -       | φ75 | 135 | 395   |

## HJ18-609



Ingress Protection: IP65  
Material: Glass+Plastic  
CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No. | Power     | LM | Voltage | A   | B   | C(mm) |
|----------|-----------|----|---------|-----|-----|-------|
| HJ18-609 | GU10/G5.3 | -  | -       | φ75 | 175 | 430   |



## HJ18-610



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No.  | Power | LM  | Voltage  | A   | B  | C(mm) |
|-----------|-------|-----|----------|-----|----|-------|
| HJ18-610S | 1W    | 90  | 110-265V | φ40 | 75 | 270   |
| HJ18-610L | 3W    | 270 | 110-265V | φ48 | 75 | 280   |

## HJ18-611



CRI: 80  
PF: 0.6  
Ingress Protection: IP65  
Material: Glass+Aluminium  
CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No.  | Power | LM   | Voltage  | A    | B   | C(mm) |
|-----------|-------|------|----------|------|-----|-------|
| HJ18-611S | 10W   | 800  | 110-265V | φ68  | 125 | 310   |
| HJ18-611L | 15W   | 1200 | 110-265V | φ100 | 135 | 320   |





## HJ18-612



Material: Aluminum+PC  
CCT: 3000K-6500K  
CRI: 80  
PF:0.6  
Ingress Protection: IP65

### COLOR



Dark Gray



Black

| Item No.   | Power | LM   | Voltage  | A   | B   | C <sub>(mm)</sub> |
|------------|-------|------|----------|-----|-----|-------------------|
| HJ18-612S  | 5W    | 450  | 110-265V | Φ50 | 75  | 275               |
| HJ18-612M  | 10W   | 900  | 110-265V | Φ64 | 95  | 335               |
| HJ18612L   | 15W   | 1600 | 110-265V | Φ76 | 115 | 395               |
| HJ18-612XL | 20W   | 2400 | 110-265V | Φ90 | 135 | 455               |
| HJ18-612   | GU10  | -    | -        | Φ60 | 95  | 335               |

## HJ18-613



Material: Glass+Aluminum  
CCT: 3000K-6500K  
CRI: 80  
PF:0.6  
Ingress Protection: IP65

### COLOR



Dark Gray



Black

| Item No.   | Power | LM   | Voltage  | A   | B   | C <sub>(mm)</sub> |
|------------|-------|------|----------|-----|-----|-------------------|
| HJ18-613S  | 5W    | 450  | 110-265V | Φ50 | 75  | 135               |
| HJ18-613M  | 10W   | 900  | 110-265V | Φ64 | 95  | 195               |
| HJ18-613L  | 15W   | 1600 | 110-265V | Φ76 | 115 | 255               |
| HJ18-613XL | 20W   | 2400 | 110-265V | Φ90 | 135 | 315               |
| HJ18-613   | GU10  | -    | -        | Φ60 | 95  | 195               |



## HJ18-614



Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K  
 CRI: 80

### COLOR



| Item No.   | Power | LM   | Voltage  | A   | B   | C(mm) |
|------------|-------|------|----------|-----|-----|-------|
| HJ18-614S  | 5W    | 450  | 110-265V | Φ50 | 158 | 360   |
| HJ18-614M  | 10W   | 900  | 110-265V | Φ64 | 178 | 420   |
| HJ18-614L  | 15W   | 1600 | 110-265V | Φ76 | 198 | 480   |
| HJ18-614XL | 20W   | 2400 | 110-265V | Φ90 | 218 | 540   |
| HJ18-614   | GU10  | -    | -        | Φ60 | 178 | 420   |

## HJ18-615



Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K  
 CRI: 80

### COLOR



| Item No.   | Power | LM   | Voltage  | A   | B   | C(mm) |
|------------|-------|------|----------|-----|-----|-------|
| HJ18-615S  | 5W    | 450  | 110-265V | Φ50 | 158 | 220   |
| HJ18-615M  | 10W   | 900  | 110-265V | Φ64 | 178 | 280   |
| HJ18-615L  | 15W   | 1600 | 110-265V | Φ76 | 198 | 340   |
| HJ18-615XL | 20W   | 2400 | 110-265V | Φ90 | 218 | 400   |
| HJ18-615   | GU10  | -    | -        | Φ60 | 178 | 280   |





## HJ18-616



CRI: 80  
 Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No.  | Power | LM   | Voltage  | A   | B   | C(mm) |
|-----------|-------|------|----------|-----|-----|-------|
| HJ18-616  | 10W   | 800  | 110-265V | φ65 | 185 | 380   |
| HJ18-616M | 15W   | 1200 | 110-265V | φ76 | 185 | 380   |
| HJ18-616L | 20W   | 1600 | 110-265V | φ90 | 185 | 380   |
| HJ18-616  | GU10  | -    | -        | φ65 | 185 | 380   |

## HJ18-617



CRI: 80  
 Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No.  | Power | LM   | Voltage  | A   | B   | C(mm) |
|-----------|-------|------|----------|-----|-----|-------|
| HJ18-617  | 10W   | 800  | 110-265V | φ65 | 125 | 360   |
| HJ18-617M | 15W   | 1200 | 110-265V | φ76 | 125 | 360   |
| HJ18-617L | 20W   | 1600 | 110-265V | φ90 | 125 | 360   |
| HJ18-617  | GU10  | -    | -        | φ65 | 125 | 360   |



## HJ18-616Z



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR



| Item No.    | Power | LM   | Voltage  | A   | B   | C(mm) |
|-------------|-------|------|----------|-----|-----|-------|
| HJ18-616Z   | 10W   | 800  | 110-265V | φ65 | 185 | 215   |
| HJ18-616Z-M | 15W   | 1200 | 110-265V | φ76 | 185 | 215   |
| HJ18-616Z-L | 20W   | 1600 | 110-265V | φ90 | 185 | 215   |
| HJ18-616Z   | GU10  | -    | -        | φ65 | 185 | 215   |

## HJ18-617Z




Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR



| Item No.    | Power | LM   | Voltage  | A   | B   | C(mm) |
|-------------|-------|------|----------|-----|-----|-------|
| HJ18-617Z   | 10W   | 800  | 110-265V | φ65 | 125 | 195   |
| HJ18-617Z-M | 15W   | 1200 | 110-265V | φ76 | 125 | 195   |
| HJ18-617Z-L | 20W   | 1600 | 110-265V | φ90 | 125 | 195   |
| HJ18-617Z   | GU10  | -    | -        | φ65 | 125 | 195   |

# HJ-60129



Color Rendering Index: 80  
Power Factor: 0.6  
Protection Class: IP65  
Material: Glass+Aluminum  
CCT: 3000K-6500K

## COLOR



Black




Dark Gray

| Item No.  | Power | LM  | Voltage  | A   | B   | C(mm) |
|-----------|-------|-----|----------|-----|-----|-------|
| HJ-60129  | 3W    | 240 | 110-265V | φ50 | 120 | 340   |
| HJ-60129L | 5W    | 400 | 110-265V | φ65 | 145 | 360   |





## HJ16-080



Color Rendering Index: 80

Power Factor: 0.6

Protection Class: IP65


Material: Glass+Aluminum

CCT: 3000K-6500K

COLOR:  Black  Dark Gray

| Item No.  | Power | LM  | Voltage  | A   | B   | C(mm) |
|-----------|-------|-----|----------|-----|-----|-------|
| HJ16-080A | 10W   | 450 | 110-265V | 120 | 200 | 300   |
| HJ16-080B | 10W   | 450 | 110-265V | 120 | 200 | 600   |
| HJ16-080C | 10W   | 450 | 110-265V | 120 | 200 | 900   |
| HJ16-081A | 10W   | 450 | 110-265V | 120 | 400 | 600   |
| HJ16-081B | 10W   | 450 | 110-265V | 120 | 700 | 900   |

# HJ16-082




Protection Class: IP54  
Material: Acrylic+Aluminum  
CCT: 3000K-6500K  
COLOR:  Black  Dark Gray

| Item No.  | Power | LM  | Voltage  | A   | B   | C(mm) |
|-----------|-------|-----|----------|-----|-----|-------|
| HJ16-082A | 10W   | 450 | 110-265V | 125 | 200 | 300   |
| HJ16-082B | 10W   | 450 | 110-265V | 125 | 200 | 600   |
| HJ16-082C | 10W   | 450 | 110-265V | 125 | 200 | 900   |
| HJ16-083A | 10W   | 450 | 110-265V | 125 | 400 | 600   |
| HJ16-083B | 10W   | 450 | 110-265V | 125 | 700 | 900   |





## HJ16-076



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No.  | Power | LM  | Voltage  | A    | B   | C(mm) |
|-----------|-------|-----|----------|------|-----|-------|
| HJ16-076A | 10W   | 900 | 110-265V | φ108 | 250 | 300   |
| HJ16-076B | 10W   | 900 | 110-265V | φ108 | 550 | 600   |
| HJ16-076C | 10W   | 900 | 110-265V | φ108 | 850 | 900   |

## HJ16-077



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR




Black



Dark Gray


| Item No.  | Power | LM  | Voltage  | A   | B   | C(mm) |
|-----------|-------|-----|----------|-----|-----|-------|
| HJ16-077A | 10W   | 900 | 110-265V | 110 | 250 | 300   |
| HJ16-077B | 10W   | 900 | 110-265V | 110 | 550 | 600   |
| HJ16-077C | 10W   | 900 | 110-265V | 110 | 850 | 900   |







## HJ16-078



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: Acrylic+Aluminum  
 CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No.  | Power | LM  | Voltage  | A  | B   | C(mm) |
|-----------|-------|-----|----------|----|-----|-------|
| HJ16-078A | 10W   | 420 | 110-265V | 50 | 110 | 300   |
| HJ16-078B | 10W   | 420 | 110-265V | 50 | 110 | 600   |
| HJ16-078C | 10W   | 420 | 110-265V | 50 | 110 | 900   |

## HJ16-084



Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR



Black




Dark Gray

| Item No.  | Power | LM | Voltage | A   | B   | C(mm) |
|-----------|-------|----|---------|-----|-----|-------|
| HJ16-084A | E27   | -  | -       | 125 | 140 | 300   |
| HJ16-084B | E27   | -  | -       | 125 | 440 | 600   |
| HJ16-084C | E27   | -  | -       | 125 | 740 | 900   |





## HJ18-C001



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

COLOR




Black



Dark Gray

| Item No.       | Power | LM  | Voltage  | A    | B   | C(mm) |
|----------------|-------|-----|----------|------|-----|-------|
| HJ18-C001A-300 | 6W    | 360 | 110-265V | φ90  | 175 | 300   |
| HJ18-C001A-600 | 6W    | 360 | 110-265V | φ90  | 475 | 600   |
| HJ18-C001A-900 | 6W    | 360 | 110-265V | φ90  | 775 | 900   |
| HJ18-C001B-300 | 9W    | 540 | 110-265V | φ108 | 175 | 300   |
| HJ18-C001B-600 | 9W    | 540 | 110-265V | φ108 | 475 | 600   |
| HJ18-C001B-900 | 9W    | 540 | 110-265V | φ108 | 775 | 900   |
| HJ18-C001C-300 | 12W   | 720 | 110-265V | φ150 | 175 | 300   |
| HJ18-C001C-600 | 12W   | 720 | 110-265V | φ150 | 475 | 600   |
| HJ18-C001C-900 | 12W   | 720 | 110-265V | φ150 | 775 | 900   |

## HJ18-C002



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

COLOR



Black



Dark Gray

| Item No.       | Power | LM  | Voltage  | A    | B   | C(mm) |
|----------------|-------|-----|----------|------|-----|-------|
| HJ18-C002A-300 | 6W    | 360 | 110-265V | φ90  | 175 | 300   |
| HJ18-C002A-600 | 6W    | 360 | 110-265V | φ90  | 475 | 600   |
| HJ18-C002A-900 | 6W    | 360 | 110-265V | φ90  | 775 | 900   |
| HJ18-C002B-300 | 9W    | 540 | 110-265V | φ108 | 175 | 300   |
| HJ18-C002B-600 | 9W    | 540 | 110-265V | φ108 | 475 | 600   |
| HJ18-C002B-900 | 9W    | 540 | 110-265V | φ108 | 775 | 900   |
| HJ18-C002C-300 | 12W   | 720 | 110-265V | φ150 | 175 | 300   |
| HJ18-C002C-600 | 12W   | 720 | 110-265V | φ150 | 475 | 600   |
| HJ18-C002C-900 | 12W   | 720 | 110-265V | φ150 | 775 | 900   |





## HJ18-C014



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Acrylic+Aluminium  
 CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No.  | Power | LM  | Voltage  | A   | B   | C (mm) |
|-----------|-------|-----|----------|-----|-----|--------|
| HJ18-C014 | 5W    | 300 | 110-265V | φ30 | φ90 | 600    |

## HJ18-C021



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Acrylic+Aluminium  
 CCT: 3000K-6500K

### COLOR



Black




Dark Gray

| Item No. | Power | LM  | Voltage  | A   | B  | C   | D (mm) |
|----------|-------|-----|----------|-----|----|-----|--------|
| HJ-C021A | 10W   | 800 | 110-265V | 200 | 50 | 100 | 600    |
| HJ-C021B | 10W   | 800 | 110-265V | 300 | 80 | 150 | 1000   |





## HJ18-C022



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No.        | Power | LM  | Voltage  | A    | B   | C(mm) |
|-----------------|-------|-----|----------|------|-----|-------|
| HJ18-C022A/D200 | 20W   | 900 | 110-265V | Φ200 | 60  | 200   |
| HJ18-C022B/D200 | 20W   | 900 | 110-265V | Φ200 | 360 | 500   |
| HJ18-C022C/D200 | 20W   | 900 | 110-265V | Φ200 | 660 | 800   |
| HJ18-C022A/D150 | 12W   | 540 | 110-265V | Φ150 | 60  | 200   |
| HJ18-C022B/D150 | 12W   | 540 | 110-265V | Φ150 | 360 | 500   |
| HJ18-C022C/D150 | 12W   | 540 | 110-265V | Φ150 | 660 | 800   |

## HJ18-C023



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR



Black




Dark Gray

| Item No.        | Power | LM  | Voltage  | A    | B   | C(mm) |
|-----------------|-------|-----|----------|------|-----|-------|
| HJ18-C023A/D200 | 20W   | 900 | 110-265V | Φ200 | 60  | 200   |
| HJ18-C023B/D200 | 20W   | 900 | 110-265V | Φ200 | 360 | 500   |
| HJ18-C023C/D200 | 20W   | 900 | 110-265V | Φ200 | 660 | 800   |
| HJ18-C023A/D150 | 12W   | 540 | 110-265V | Φ150 | 60  | 200   |
| HJ18-C023B/D150 | 12W   | 540 | 110-265V | Φ150 | 360 | 500   |
| HJ18-C023C/D150 | 12W   | 540 | 110-265V | Φ150 | 660 | 800   |





## HJ18-C013



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: PC+Aluminium  
 CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No.   | Power | LM  | Voltage  | A   | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ18-C013A | 12W   | 720 | 110-265V | 120 | 185 | 600   |
| HJ18-C013B | 12W   | 720 | 110-265V | 150 | 140 | 600   |
| HJ18-C013A | E27   | -   | -        | 120 | 185 | 600   |
| HJ18-C013B | E27   | -   | -        | 150 | 140 | 600   |

## HJ18-C024



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: PC+Aluminium  
 CCT: 3000K-6500K

### COLOR



Black




Dark Gray

| Item No.   | Power | LM  | Voltage  | A   | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ18-C024A | 12W   | 720 | 110-265V | 150 | 140 | 200   |
| HJ18-C024B | 12W   | 720 | 110-265V | 150 | 140 | 500   |
| HJ18-C024C | 12W   | 720 | 110-265V | 150 | 140 | 800   |





## HJ19-C001



Material : Acrylic+Aluminium


Ingress Protection : IP54

CCT : 3000K/6500K

COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  | A   | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ19-C001A | 10W   | 450 | 110-265V | 120 | 200 | 300   |
| HJ19-C001B | 10W   | 450 | 110-265V | 120 | 200 | 600   |
| HJ19-C001C | 10W   | 450 | 110-265V | 120 | 200 | 900   |
| HJ19-C002A | 10W   | 450 | 110-265V | 120 | 400 | 600   |
| HJ19-C002B | 10W   | 450 | 110-265V | 120 | 700 | 900   |



## HJ19-C003



Material : Acrylic+Aluminium

Ingress Protection : IP54

CCT : 3000K/6500K


COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  |     | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ19-C003A | 10W   | 450 | 110-265V | 120 | 200 | 300   |
| HJ19-C003B | 10W   | 450 | 110-265V | 120 | 200 | 600   |
| HJ19-C003C | 10W   | 450 | 110-265V | 120 | 200 | 900   |
| HJ19-C004A | 10W   | 450 | 110-265V | 120 | 400 | 600   |
| HJ19-C004B | 10W   | 450 | 110-265V | 120 | 700 | 900   |





## HJ19-C005



Material : Acrylic+Aluminium

Ingress Protection : IP54

CCT : 3000K/6500K

COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  | A   | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ19-C005A | 10W   | 450 | 110-265V | 125 | 200 | 300   |
| HJ19-C005B | 10W   | 450 | 110-265V | 125 | 200 | 600   |
| HJ19-C005C | 10W   | 450 | 110-265V | 125 | 200 | 900   |
| HJ19-C006A | 10W   | 450 | 110-265V | 125 | 400 | 600   |
| HJ19-C006B | 10W   | 450 | 110-265V | 125 | 700 | 900   |





## HJ19-C013



CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: Acrylic+Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray

| Item No.  | Power | LM  | Voltage  | A    | B    | C(mm) |
|-----------|-------|-----|----------|------|------|-------|
| HJ19-C013 | 7W    | 350 | 110-265V | φ200 | φ115 | 550   |

## HJ19-C014



CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: Acrylic+Aluminium  
CCT: 3000K-6500K

### COLOR



Black




Dark Gray

| Item No.  | Power | LM  | Voltage  | A    | B   | C(mm) |
|-----------|-------|-----|----------|------|-----|-------|
| HJ19-C014 | 7W    | 350 | 110-265V | φ200 | 700 | -     |





## HJ19-C015




CRI: 80  
 PF: 0.6  
 Protection class: IP54  
 Material: Acrylic+Aluminium  
 CCT: 3000K-6500K

### COLOR



| Item No.   | Power | LM  | Voltage  | A   | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ19-C015A | 10W   | 800 | 110-265V | 120 | 120 | 450   |
| HJ19-C015B | 10W   | 800 | 110-265V | 120 | 120 | 600   |

## HJ19-C016



CRI: 80  
 PF: 0.6  
 Protection class: IP54  
 Material: PC+Aluminium  
 CCT: 3000K-6500K

### COLOR



| Item No.   | Power | LM  | Voltage  | A   | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ19-C016A | 10W   | 800 | 110-265V | 120 | 150 | 300   |
| HJ19-C016B | 10W   | 800 | 110-265V | 120 | 150 | 600   |
| HJ19-C016C | 10W   | 800 | 110-265V | 120 | 150 | 900   |





## HJ21-BL01



Material : Acrylic+Aluminium


Ingress Protection : IP54

CCT : 3000K/6500K

COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  | A    | B   | C(mm) |
|------------|-------|-----|----------|------|-----|-------|
| HJ21-BL01A | 10W   | 450 | 110-265V | Φ150 | 200 | 300   |
| HJ21-BL01B | 10W   | 450 | 110-265V | Φ150 | 200 | 600   |
| HJ21-BL01C | 10W   | 450 | 110-265V | Φ150 | 200 | 900   |
| HJ21-BL02A | 10W   | 450 | 110-265V | Φ150 | 400 | 600   |
| HJ21-BL02B | 10W   | 450 | 110-265V | Φ150 | 700 | 900   |

## HJ21-BL03



Material : Acrylic+Aluminium

Ingress Protection : IP54

CCT : 3000K/6500K

COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  | A    | B   | C(mm) |
|------------|-------|-----|----------|------|-----|-------|
| HJ21-BL03A | 10W   | 450 | 110-265V | Φ150 | 200 | 300   |
| HJ21-BL03B | 10W   | 450 | 110-265V | Φ150 | 200 | 600   |
| HJ21-BL03C | 10W   | 450 | 110-265V | Φ150 | 200 | 900   |
| HJ21-BL04A | 10W   | 450 | 110-265V | Φ150 | 400 | 600   |
| HJ21-BL04B | 10W   | 450 | 110-265V | Φ150 | 700 | 900   |





## HJ21-BL05



Material : Acrylic+Aluminium

Ingress Protection : IP54

CCT : 3000K/6500K

COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  | A    | B   | C(mm) |
|------------|-------|-----|----------|------|-----|-------|
| HJ21-BL05A | 15W   | 675 | 110-265V | Φ200 | 200 | 300   |
| HJ21-BL05B | 15W   | 675 | 110-265V | Φ200 | 200 | 600   |
| HJ21-BL05C | 15W   | 675 | 110-265V | Φ200 | 200 | 900   |
| HJ21-BL06A | 20W   | 900 | 110-265V | Φ200 | 400 | 600   |
| HJ21-BL06B | 20W   | 900 | 110-265V | Φ200 | 700 | 900   |



## HJ21-BL07



Protection Class: IP54  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K  
 COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  | A    | B   | C(mm) |
|------------|-------|-----|----------|------|-----|-------|
| HJ21-BL07A | 15W   | 675 | 110-265V | Φ200 | 200 | 300   |
| HJ21-BL07B | 15W   | 675 | 110-265V | Φ200 | 200 | 600   |
| HJ21-BL07C | 15W   | 675 | 110-265V | Φ200 | 200 | 900   |
| HJ21-BL08A | 15W   | 675 | 110-265V | Φ200 | 400 | 600   |
| HJ21-BL08B | 15W   | 675 | 110-265V | Φ200 | 700 | 900   |

# HJ21-BL09



Protection Class: IP54  
Material: Acrylic+Aluminum  
CCT: 3000K-6500K  
COLOR:  Black  Dark Gray

| Item No. | Power | LM  | Voltage  | A   | B   | C(mm) |
|----------|-------|-----|----------|-----|-----|-------|
| HJ-BL09A | 10W   | 450 | 110-265V | 150 | 200 | 300   |
| HJ-BL09B | 10W   | 450 | 110-265V | 150 | 200 | 600   |
| HJ-BL09C | 10W   | 450 | 110-265V | 150 | 200 | 900   |
| HJ-BL10A | 10W   | 450 | 110-265V | 150 | 400 | 600   |
| HJ-BL10B | 10W   | 450 | 110-265V | 150 | 700 | 900   |





## HJ21-BL11



Protection Class: IP54

Material: Glass+Aluminum

CCT: 3000K-6500K

COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  | A   | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ21-BL11A | 12W   | 540 | 110-265V | 150 | 200 | 300   |
| HJ21-BL11B | 12W   | 540 | 110-265V | 150 | 200 | 600   |
| HJ21-BL11C | 12W   | 540 | 110-265V | 150 | 200 | 900   |
| HJ21-BL12A | 20W   | 900 | 110-265V | 150 | 400 | 600   |
| HJ21-BL12B | 20W   | 900 | 110-265V | 150 | 700 | 900   |





## HJ-B21-BL13




Protection Class: IP54  
 Material: Acrylic+Aluminum  
 CCT: 3000K-6500K  
 COLOR:  Black  Dark Gray

| Item No.   | Power | LM  | Voltage  | A  | B   | C(mm) |
|------------|-------|-----|----------|----|-----|-------|
| HJ21-BL13A | 7W    | 315 | 110-265V | 90 | 170 | 305   |
| HJ21-BL13B | 7W    | 315 | 110-265V | 90 | 470 | 605   |
| HJ21-BL13C | 7W    | 315 | 110-265V | 90 | 770 | 905   |
| HJ21-WL01  | 7W    | 315 | 110-265V | 90 | 100 | 235   |



## HJ21-BL17




Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR



| Item No.   | Power | LM  | Voltage  | A   | B   | C <sub>(mm)</sub> |
|------------|-------|-----|----------|-----|-----|-------------------|
| HJ21-BL17A | 10W   | 450 | 110-265V | 120 | 120 | 450               |
| HJ21-BL17B | 10W   | 450 | 110-265V | 120 | 120 | 600               |

## HJ21-BL18



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR




| Item No.  | Power | LM  | Voltage  | A   | B  | C <sub>(mm)</sub> |
|-----------|-------|-----|----------|-----|----|-------------------|
| HJ21-BL18 | 10W   | 450 | 110-265V | 100 | 50 | 780               |





## HJ21-BL14




Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR



| Item No.  | Power | LM  | Voltage  | A   | B   | C <sub>(mm)</sub> |
|-----------|-------|-----|----------|-----|-----|-------------------|
| HJ21-BL14 | 10W   | 380 | 110-265V | Ø65 | 190 | 800               |
| HJ21-BL14 | GU10  | -   | -        | Ø65 | 190 | 800               |

## HJ21-BL15



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR




| Item No.  | Power | LM  | Voltage  | A   | B   | C <sub>(mm)</sub> |
|-----------|-------|-----|----------|-----|-----|-------------------|
| HJ21-BL15 | 20W   | 760 | 110-265V | Ø65 | 190 | 800               |
| HJ21-BL15 | GU10  | -   | -        | Ø65 | 190 | 800               |





## HJ21-BL21



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR



| Item No. | Power | LM  | Voltage  | A    | B    | C <sub>(mm)</sub> |
|----------|-------|-----|----------|------|------|-------------------|
| HJ-BL21A | 12W   | 360 | 110-265V | Ø200 | Ø120 | 400               |
| HJ-BL21B | 12W   | 360 | 110-265V | Ø200 | Ø120 | 600               |
| HJ-BL21C | 12W   | 360 | 110-265V | Ø200 | Ø120 | 900               |

## HJ21-BL24



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR



| Item No. | Power | LM  | Voltage  | A    | B    | C <sub>(mm)</sub> |
|----------|-------|-----|----------|------|------|-------------------|
| HJ-BL24A | 7W    | 280 | 110-265V | Ø150 | Ø115 | 400               |
| HJ-BL24B | 7W    | 280 | 110-265V | Ø150 | Ø115 | 600               |
| HJ-BL24C | 7W    | 280 | 110-265V | Ø150 | Ø115 | 900               |





## HJ21-BL22




Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR



| Item No. | Power | LM  | Voltage  | A    | B    | C(mm) |
|----------|-------|-----|----------|------|------|-------|
| HJ-BL22  | 7W    | 280 | 110-265V | Ø150 | Ø115 | 500   |

## HJ21-BL23



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR




| Item No.  | Power | LM  | Voltage  | A    | B (mm) |
|-----------|-------|-----|----------|------|--------|
| HJ21-BL23 | 7W    | 280 | 110-265V | Ø150 | 670    |





## HJ21-BL19



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP65  
 Material: Glass+Aluminum  
 CCT: 3000K-6500K

### COLOR



| Item No.  | Power | LM  | Voltage  | A    | B    | C <sub>(mm)</sub> |
|-----------|-------|-----|----------|------|------|-------------------|
| HJ21-BL19 | 7W    | 280 | 110-265V | Ø100 | Ø100 | 800               |

## HJ21-BL26



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR




| Item No.  | Power | LM  | Voltage  | A   | B   | C <sub>(mm)</sub> |
|-----------|-------|-----|----------|-----|-----|-------------------|
| HJ21-BL26 | 10W   | 380 | 110-265V | Ø50 | 125 | 600               |





## HJ21-BL27



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR




Dark Gray



Black

| Item No.  | Power | LM  | Voltage  | A    | B   | C <sub>(mm)</sub> |
|-----------|-------|-----|----------|------|-----|-------------------|
| HJ21-BL27 | 12W   | 240 | 110-265V | Ø150 | 135 | 600               |

## HJ21-BL20



Color Rendering Index: 80  
 Power Factor: 0.6  
 Protection Class: IP54  
 Material: PC+Aluminum  
 CCT: 3000K-6500K

### COLOR




Dark Gray



Black

| Item No.  | Power | LM  | Voltage  | A   | B   | C <sub>(mm)</sub> |
|-----------|-------|-----|----------|-----|-----|-------------------|
| HJ21-BL20 | 7W    | 280 | 110-265V | 100 | 290 | 600               |





## HJ -50113L




CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 Cut Out: 295\*75\*105mm

### COLOR



| Item No.  | Power | LM  | Voltage  | A   | B   | C(mm) |
|-----------|-------|-----|----------|-----|-----|-------|
| HJ-50113L | 10W   | 140 | 110-265V | 320 | 105 | 115   |

## HJ-50112



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 Cut Out: 76\*76\*50mm

### COLOR



| Item No. | Power | LM | Voltage  | A  | B  | C(mm) |
|----------|-------|----|----------|----|----|-------|
| HJ-50112 | 2W    | 27 | 110-265V | 90 | 90 | 55    |








## STEP LIGHTS



HJ-50113



HJ-50114



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 Cut Out: 200\*50\*55mm,  
 100\*50\*55mm

### COLOR



| Item No. | Power | LM | Voltage  | A   | B  | C(mm) |
|----------|-------|----|----------|-----|----|-------|
| HJ-50113 | 4W    | 47 | 110-265V | 210 | 60 | 55    |
| HJ-50114 | 2W    | 22 | 110-265V | 105 | 60 | 55    |

## STEP LIGHTS



HJ-50115



HJ-50116




CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 Cut Out: 50\*200\*55mm,  
 50\*100\*55mm

### COLOR



| Item No. | Power | LM | Voltage  | A  | B   | C(mm) |
|----------|-------|----|----------|----|-----|-------|
| HJ-50115 | 2W    | 45 | 110-265V | 60 | 210 | 55    |
| HJ-50116 | 2W    | 45 | 110-265V | 60 | 105 | 55    |





## HJ18-QJ01



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 Cut Out: 196\*48\*77mm

### COLOR



| Item No.  | Power | LM | Voltage  | A   | B  | C(mm) |
|-----------|-------|----|----------|-----|----|-------|
| HJ18-QJ01 | 3W    | 60 | 110-265V | 215 | 55 | 70    |


## STEP LIGHTS



HJ18-QJ02



HJ18-QJ03



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K

### COLOR



| Item No.  | Power | LM  | Voltage  | A   | B  | C(mm) |
|-----------|-------|-----|----------|-----|----|-------|
| HJ18-QJ02 | 4W    | 120 | 180-240V | 95  | 95 | 32    |
| HJ18-QJ03 | 6W    | 285 | 180-240V | 175 | 65 | 32    |





HJ18-QJ04



HJ18-QJ05



HJ18-QJ06



HJ18-QJ07



HJ18-QJ08



HJ18-QJ09




HJ18-QJ10



HJ18-QJ11

## STEP LIGHTS



CRI: 80

PF: 0.6

Ingress Protection: IP54

Material: Glass+Aluminium

CCT: 3000K-6500K


Cut Out: 100\*60\*50mm

### COLOR



| Item No.  | Power | LM | Voltage  | A   | B  | C(mm) |
|-----------|-------|----|----------|-----|----|-------|
| HJ04-QJ11 | 3W    | 60 | 110-265V | 115 | 75 | 50    |

## HJ18-QJ12



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: PC+Aluminium  
 CCT: 3000K-6500K  
 COLOR

Silver Gray
  Dark Gray
  Black

| Item No.    | Power | LM  | Voltage  | A   | B  | C(mm) |
|-------------|-------|-----|----------|-----|----|-------|
| HJ18-QJ12   | 6W    | 360 | 110-265V | 230 | 80 | -     |
| HJ18-QJ12-1 | 6W    | 360 | 110-265V | 230 | 80 | -     |


## HJ18-QJ13



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 Cut Out:  $\Phi 78 \times 40 \times 60$ mm,  
 $123 \times 40 \times 60$ mm  
 COLOR


Silver Gray
  Dark Gray
  Black

| Item No.    | Power | LM | Voltage  | A   | B  | C(mm) |
|-------------|-------|----|----------|-----|----|-------|
| HJ18-QJ13   | 3W    | 27 | 110-265V | 90  | 50 | 65    |
| HJ18-QJ13-1 | 3W    | 27 | 110-265V | 135 | 50 | 65    |





## HJ18-QJ14




CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 Cut Out:  $\Phi 63 \times 56$ mm  
 COLOR

 Silver Gray
  Dark Gray
  Black

| Item No.  | Power | LM | Voltage  | A         | B  | C(mm) |
|-----------|-------|----|----------|-----------|----|-------|
| HJ18-QJ14 | 2W    | 45 | 110-265V | $\Phi 70$ | 60 | -     |


## HJ18-QJ14-1



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 Cut Out: 63\*63\*56mm  
 COLOR


 Silver Gray
  Dark Gray
  Black

| Item No.    | Power | LM | Voltage  | A  | B  | C(mm) |
|-------------|-------|----|----------|----|----|-------|
| HJ18-QJ14-1 | 2W    | 45 | 110-265V | 70 | 70 | 60    |





## STEP LIGHTS



CRI: 80

PF: 0.6

Ingress Protection: IP54

Material: Glass+Alumin

CCT: 3000K-6500K

COLOR



Silver Gray



Dark Gray



Black

| Item No.  | Power | LM  | Voltage  | A   | B   | C(mm) |
|-----------|-------|-----|----------|-----|-----|-------|
| HJ18-QJ15 | 3W    | 60  | 110-265V | 60  | 102 | 55    |
| HJ18-QJ16 | 7W    | 140 | 110-265V | 160 | 160 | 63    |
| HJ18-QJ17 | 3W    | 60  | 110-265V | 110 | 45  | 55    |
| HJ18-QJ18 | 3W    | 60  | 110-265V | 147 | 72  | 55    |
| HJ18-QJ19 | 5W    | 100 | 110-265V | 147 | 87  | 55    |
| HJ18-QJ20 | 7W    | 140 | 110-265V | 206 | 87  | 55    |



Size:60\*102\*50mm  
HJ18-QJ15 Cut Out: 50\*97\*50mm



Size:160\*160\*63mm  
HJ18-QJ16 Cut Out: 150\*150\*60mm



Size:110\*45\*55mm  
HJ18-QJ17 Cut Out: 110\*43\*50mm



Size:147\*72\*55mm  
HJ18-QJ18 Cut Out: 135\*67\*50mm




Size:147\*87\*55mm  
HJ18-QJ19 Cut Out: 126\*74\*50mm



Size:206\*87\*55mm  
HJ18-QJ20 Cut Out: 188\*75\*48mm



## UNDERGROUND LIGHTS




CRI: 80  
 PF: 0.6  
 Ingress Protection: IP67  
 Material: Glass+Aluminium  
 +Stainless steel 304  
 CCT: 3000K-6500K  
 Cut Out:  $\Phi 56 \times 86\text{mm}$   
 $\Phi 47 \times 80\text{mm}$ ;  $\Phi 38 \times 70\text{mm}$   
 COLOR



| Item No. | Power | LM | Voltage  | A         | B  | C(mm) |
|----------|-------|----|----------|-----------|----|-------|
| HJ-10132 | 1W    | 95 | 110-265V | $\phi 62$ | 90 | -     |
| HJ-10133 | 1W    | 95 | 110-265V | $\phi 52$ | 84 | -     |
| HJ-10134 | 1W    | 95 | 110-265V | $\phi 42$ | 74 | -     |

## UNDERGROUND LIGHTS



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP67  
 Material: Glass+Aluminium  
 +Stainless steel 304  
 CCT: 3000K-6500K  
 Cut Out:  $\Phi 40 \times 60\text{mm}$   
 COLOR



| Item No. | Power | LM | Voltage  | A         | B  | C(mm) |
|----------|-------|----|----------|-----------|----|-------|
| HJ-D032  | 1.5W  |    | 110-265V | $\phi 45$ | 62 | -     |



HJ-D032 Size:  $\Phi 45 \times H.62\text{mm}$   
 Cut Out:  $\phi 40 \times H.60\text{mm}$



HJ-D011 Size:  $\Phi 100 \times H. 75 \text{mm}$   
Cut Out:  $\Phi 90 \times H. 72 \text{mm}$



HJ-D012 Size:  $\Phi 160 \times H. 105 \text{mm}$   
Cut Out:  $\Phi 145 \times H. 100 \text{mm}$



HJ-D013 Size:  $\Phi 180 \times H. 120 \text{mm}$   
Cut Out:  $\Phi 168 \times H. 118 \text{mm}$



HJ-D014 Size:  $\Phi 210 \times H. 120 \text{mm}$   
Cut Out:  $\Phi 200 \times H. 118 \text{mm}$



HJ-D015 Size:  $\Phi 260 \times H. 120 \text{mm}$   
Cut Out:  $\Phi 240 \times H. 118 \text{mm}$




HJ-D016 Size:  $\Phi 320 \times H. 105 \text{mm}$   
Cut Out:  $\Phi 290 \times H. 102 \text{mm}$

# UNDERGROUND LIGHTS

CRI: 80  
PF: 0.6  
Ingress Protection: IP67  
Material: Glass+Aluminium  
+Stainless steel 304  
CCT: 3000K-6500K  
COLOR

 Silver Gray     Dark Gray     Black



| Item No. | Power | LM   | Voltage  | A          | B   | C(mm) |
|----------|-------|------|----------|------------|-----|-------|
| HJ-D011  | 3W    | 270  | 110-265V | $\Phi 100$ | 75  | -     |
| HJ-D012  | 9W    | 810  | 110-265V | $\Phi 160$ | 105 | -     |
| HJ-D013  | 12W   | 1080 | 110-265V | $\Phi 180$ | 120 | -     |
| HJ-D014  | 18W   | 1620 | 110-265V | $\Phi 210$ | 120 | -     |
| HJ-D015  | 24W   | 2160 | 110-265V | $\Phi 260$ | 120 | -     |
| HJ-D016  | 36W   | 3240 | 110-265V | $\Phi 320$ | 105 | -     |
| HJ-D025  | 5W    | 450  | 110-265V | $\Phi 120$ | 90  | -     |



HJ-D025 Size:  $\Phi 120 \times H. 90 \text{mm}$   
Cut Out:  $108 \times H. 85 \text{mm}$





HJ-D017 Size:  $\Phi 160 \times H. 145 \text{mm}$   
Cut Out:  $\Phi 150 \times H. 140 \text{mm}$



HJ-D018 Size:  $\Phi 180 \times H. 130 \text{mm}$   
Cut Out:  $\Phi 175 \times H. 125 \text{mm}$



HJ-D019 Size:  $\Phi 210 \times H. 145 \text{mm}$   
Cut Out:  $\Phi 198 \times H. 140 \text{mm}$



HJ-D020 Size:  $\Phi 270 \times H. 145 \text{mm}$   
Cut Out:  $\Phi 245 \times H. 140 \text{mm}$



## UNDERGROUND LIGHTS



CRI: 80  
PF: 0.6  
Ingress Protection: IP67  
Material: Glass+Aluminium  
+Stainless steel 304  
CCT: 3000K-6500K  
COLOR

 Silver Gray     Dark Gray     Black

| Item No. | Power | LM   | Voltage  | A          | B   | C(mm) |
|----------|-------|------|----------|------------|-----|-------|
| HJ-D017  | 15W   | 1350 | 110-265V | $\Phi 160$ | 145 | -     |
| HJ-D018  | 20W   | 1800 | 110-265V | $\Phi 180$ | 130 | -     |
| HJ-D019  | 30W   | 2700 | 110-265V | $\Phi 210$ | 145 | -     |
| HJ-D020  | 50W   | 4500 | 110-265V | $\Phi 270$ | 145 | -     |



HJ-D022 Size:  $\Phi 160 \times H.185\text{mm}$   
Cut Out:  $\Phi 150 \times H.180\text{mm}$




HJ-D023 Size:  $\Phi 180 \times H.185\text{mm}$   
Cut Out:  $\Phi 170 \times H.180\text{mm}$




HJ-D026 Size:  $\Phi 270 \times H.200\text{mm}$   
Cut Out:  $\Phi 245 \times H.190\text{mm}$



HJ-D027 Size:  $\Phi 270 \times H.200\text{mm}$   
Cut Out:  $\Phi 245 \times H.190\text{mm}$



## UNDERGROUND LIGHTS



CRI: 80

PF: 0.6

Ingress Protection: IP67

Material: Glass+Aluminium

+Stainless steel 304

CCT: 3000K-6500K

COLOR



| Item No. | Power | LM   | Voltage  | A          | B   | C(mm) |
|----------|-------|------|----------|------------|-----|-------|
| HJ-D021  | 10W   | 900  | 110-265V | $\Phi 130$ | 145 | -     |
| HJ-D022  | 15W   | 1350 | 110-265V | $\Phi 160$ | 185 | -     |
| HJ-D023  | 20W   | 1800 | 110-265V | $\Phi 180$ | 185 | -     |
| HJ-D026  | 50W   | 4500 | 110-265V | $\Phi 270$ | 200 | -     |
| HJ-D027  | 50W   | 4500 | 110-265V | $\Phi 270$ | 200 | -     |



HJ-D021 Size:  $\Phi 130 \times H.145\text{mm}$   
Cut Out:  $\Phi 125 \times H.140\text{mm}$



HJ-D024 Size:  $\Phi 100 \times H. 125 \text{mm}$   
Cut Out:  $\Phi 92 \times H. 120 \text{mm}$



HJ-1010B Size:  $\Phi 120 \times H. 140 \text{mm}$   
Cut Out:  $\Phi 102 \times H. 135 \text{mm}$




HJ-1011 Size:  $\Phi 100 \times H. 105 \text{mm}$   
Cut Out:  $\Phi 94 \times H. 100 \text{mm}$



HJ-1017 Size:  $\Phi 100 \times 100 \times H. 120 \text{mm}$   
Cut Out:  $\Phi 102 \times H. 115 \text{mm}$



## UNDERGROUND LIGHTS




CRI: 80  
PF: 0.6  
Ingress Protection: IP67  
Material: Glass+Aluminium  
+Stainless steel 304  
CCT: 3000K-6500K  
COLOR

 Silver Gray  Dark Gray  Black

| Item No. | Power | LM  | Voltage  | A          | B   | C(mm) |
|----------|-------|-----|----------|------------|-----|-------|
| HJ-D024  | 3W    | 270 | 110-265V | $\Phi 100$ | 125 | -     |
| HJ-1010  | 3W    | 270 | 110-265V | $\Phi 120$ | 140 | -     |
| HJ-1011  | 3W    | 450 | 110-265V | $\Phi 100$ | 105 | -     |
| HJ-1017  | 3W    | 450 | 110-265V | $\Phi 100$ | 120 | -     |



## UNDERGROUND LIGHTS




CRI: 80  
 PF: 0.6  
 Ingress Protection: IP67  
 Material: Glass+Aluminium  
 +Stainless steel 304  
 CCT: 3000K-6500K  
 Cut Out:  $\Phi 115 \times 115 \text{mm}$   
 $\Phi 190 \times 165 \text{mm}$  ;  $\Phi 235 \times 190 \text{mm}$

COLOR



| Item No. | Power | LM   | Voltage  | A          | B   | C(mm) |
|----------|-------|------|----------|------------|-----|-------|
| HJ-D030A | 6W    | 480  | 110-265V | $\Phi 120$ | 120 | -     |
| HJ-D030B | 18W   | 1440 | 110-265V | $\Phi 200$ | 170 | -     |
| HJ-D030C | 36W   | 2880 | 110-265V | $\Phi 250$ | 195 | -     |

## UNDERGROUND LIGHTS




CRI: 80  
 PF: 0.6  
 Ingress Protection: IP67  
 Material: Glass+Aluminium  
 +Stainless steel 304  
 CCT: 3000K-6500K  
 Cut Out:  $\Phi 115 \times 115 \text{mm}$   
 $\Phi 140 \times 115 \text{mm}$  ;  $\Phi 160 \times 125 \text{mm}$   
 $\Phi 190 \times 135 \text{mm}$

COLOR




| Item No. | Power | LM   | Voltage  | A          | B   | C(mm) |
|----------|-------|------|----------|------------|-----|-------|
| HJ-D031A | 6W    | 480  | 110-265V | $\Phi 120$ | 120 | -     |
| HJ-D031B | 8W    | 680  | 110-265V | $\Phi 150$ | 120 | -     |
| HJ-D031C | 12W   | 960  | 110-265V | $\Phi 180$ | 130 | -     |
| HJ-D031D | 18W   | 1440 | 110-265V | $\Phi 200$ | 140 | -     |





## UNDERGROUND LIGHTS



CRI: 80

PF: 0.6

Ingress Protection: IP67

Material: Glass+Aluminium

+Stainless steel 304

CCT: 3000K-6500K

Cut Out:  $\Phi$  305\*125mm

COLOR



Silver Gray




Dark Gray



Black

| Item No. | Power | LM   | Voltage  | A          | B   | C(mm) |
|----------|-------|------|----------|------------|-----|-------|
| HJ-D032  | 72W   | 6480 | 110-265V | $\Phi$ 320 | 135 | -     |

## WALL LAMPS



HJ-40237


HJ-40239

CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 COLOR



| Item No. | Power | LM  | Voltage  | A  | B  | C(mm) |
|----------|-------|-----|----------|----|----|-------|
| HJ-40237 | 5W    | 450 | 110-265V | 65 | 80 | 80    |
|          | GU10  | -   | -        | 68 | 92 | 81    |
| HJ-40239 | 10W   | 900 | 110-265V | 65 | 92 | 150   |
|          | GU10  | -   | -        | 68 | 80 | 150   |

## WALL LAMPS



HJ-40238

HJ-40240


CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 COLOR



| Item No. | Power | LM  | Voltage  | A  | B  | C(mm) |
|----------|-------|-----|----------|----|----|-------|
| HJ-40238 | 5W    | 450 | 110-265V | 65 | 80 | 80    |
|          | GU10  | -   | -        | 68 | 92 | 81    |
| HJ-40240 | 10W   | 900 | 110-265V | 65 | 92 | 150   |
|          | GU10  | -   | -        | 68 | 80 | 150   |



## WALL LAMPS



HJ16-001


HJ16-002

CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 COLOR



| Item No. | Power | LM   | Voltage  | A   | B  | C(mm) |
|----------|-------|------|----------|-----|----|-------|
| HJ16-001 | 10W   | 900  | 110-265V | 150 | 90 | 135   |
|          | GU10  | -    | -        | 150 | 90 | 135   |
| HJ16-002 | 20W   | 1800 | 110-265V | 200 | 90 | 135   |
|          | GU10  | -    | -        | 200 | 90 | 135   |

## WALL LAMPS



HJ16-005

HJ16-006


CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 COLOR



| Item No. | Power | LM   | Voltage  | A   | B  | C(mm) |
|----------|-------|------|----------|-----|----|-------|
| HJ16-005 | 10W   | 900  | 110-265V | 150 | 90 | 135   |
|          | GU10  | -    | -        | 150 | 90 | 135   |
| HJ16-006 | 20W   | 1800 | 110-265V | 200 | 90 | 135   |
|          | GU10  | -    | -        | 200 | 90 | 135   |



## WALL LAMPS



HJ16-007

HJ16-008

CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Stainless steel 304  
 CCT: 3000K-6500K

COLOR



| Item No. | Power | LM  | Voltage  | A  | B   | C(mm) |
|----------|-------|-----|----------|----|-----|-------|
| HJ16-007 | 6W    | 480 | 110-265V | 90 | 120 | 150   |
| HJ16-008 | 12W   | 960 | 110-265V | 90 | 120 | 200   |

## WALL LAMPS



HJ16-053A

HJ16-053B

CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K


COLOR



| Item No.  | Power | LM  | Voltage  | A   | B  | C(mm) |
|-----------|-------|-----|----------|-----|----|-------|
| HJ16-053A | 6W    | 250 | 110-265V | 115 | 90 | 28    |
| HJ16-053B | 10W   | 400 | 110-265V | 175 | 90 | 28    |







## WALL LAMPS



HJ16-059A

HJ16-059B


CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K

COLOR



| Item No.  | Power | LM  | Voltage  | A   | B  | C(mm) |
|-----------|-------|-----|----------|-----|----|-------|
| HJ16-059A | 3W    | 270 | 110-265V | 76  | 81 | 63    |
| HJ16-059B | 6W    | 540 | 110-265V | 142 | 81 | 63    |

## HJ16-066



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K

COLOR




| Item No. | Power | LM  | Voltage  | A   | B  | C(mm) |
|----------|-------|-----|----------|-----|----|-------|
| HJ16-066 | 10W   | 540 | 110-265V | 112 | 76 | 90    |





## WALL LAMPS



HJ19-B001


HJ19-B002

CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 COLOR



| Item No.   | Power | LM   | Voltage  | A   | B   | C(mm) |
|------------|-------|------|----------|-----|-----|-------|
| HJ19-B001A | 5W    | 450  | 110-265V | φ65 | 110 | 120   |
| HJ19-B001B | 10W   | 900  | 110-265V | φ90 | 165 | 150   |
| HJ19-B002A | 10W   | 900  | 110-265V | φ65 | 110 | 200   |
| HJ19-B002B | 20W   | 1800 | 110-265V | φ90 | 165 | 250   |

## WALL LAMPS




HJ19-B003

HJ19-B004

CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K  
 COLOR



| Item No.    | Power | LM   | Voltage  | A  | B   | C(mm) |
|-------------|-------|------|----------|----|-----|-------|
| HJ19-B003 A | 5W    | 450  | 110-265V | 65 | 110 | 120   |
| HJ19-B003 B | 10W   | 900  | 110-265V | 90 | 165 | 150   |
| HJ19-B004 A | 10W   | 900  | 110-265V | 65 | 110 | 200   |
| HJ19-B004 B | 20W   | 1800 | 110-265V | 90 | 165 | 250   |



## HJ19-B005



CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: Glass+Aluminium  
CCT: 3000K-6500K  
COLOR



Silver Gray



Dark Gray



Black

| Item No.  | Power | LM  | Voltage  | A   | B   | C(mm) |
|-----------|-------|-----|----------|-----|-----|-------|
| HJ19-B005 | 10W   | 900 | 110-265V | φ65 | 110 | 130   |

## WALL LAMPS



HJ-2035



HJ-2037



CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: Glass+Stainless steel 304  
CCT: 3000K-6500K  
COLOR



Silver Gray



Dark Gray




Black

| Item No. | Power     | LM | Voltage | A   | B   | C(mm) |
|----------|-----------|----|---------|-----|-----|-------|
| HJ-2035  | GU10/G5.3 | -  | -       | φ60 | 115 | 105   |
| HJ-2037  | GU10-G5.3 | -  | -       | φ60 | 115 | 200   |





## WALL LAMPS



HJ-FU807

HJ-FU808


CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: PC+Aluminium  
CCT: 3000K-6500K

COLOR



| Item No. | Power | LM  | Voltage  | A   | B   | C(mm) |
|----------|-------|-----|----------|-----|-----|-------|
| HJ-FU807 | 12W   | 720 | 110-265V | 240 | 144 | 70    |
| HJ-FU808 | 12W   | 720 | 110-265V | 240 | 157 | 70    |

## WALL LAMPS



HJ-FU810-1

HJ-FU810-2

CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: PC+Aluminium  
CCT: 3000K-6500K

COLOR




| Item No.   | Power | LM  | Voltage  | A   | B   | C(mm) |
|------------|-------|-----|----------|-----|-----|-------|
| HJ-FU810-1 | 12W   | 720 | 110-265V | 270 | 140 | 95    |
| HJ-FU810-2 | 12W   | 720 | 110-265V | 270 | 140 | 95    |





## WALL LAMPS



HJ-40192

HJ-40203


### COLOR



| Item No. | Power | LM   | Voltage  | A    | B   | C(mm) |
|----------|-------|------|----------|------|-----|-------|
| HJ-40192 | 18W   | 1080 | 110-265V | 300  | 300 | 82    |
|          | E27   | -    | -        | 300  | 300 | 82    |
| HJ-40203 | 18W   | 1080 | 110-265V | φ300 | 92  | -     |
|          | E27   | -    | -        | φ300 | 92  | -     |



## HJ-T001



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Aluminium  
 CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No. | Power | LM   | Voltage  | A   | B    | C(mm) |
|----------|-------|------|----------|-----|------|-------|
| HJ-T001A | 20W   | 1800 | 110-265V | 150 | 1500 | 2500  |
| HJ-T001B | 30W   | 2700 | 110-265V | 200 | 2500 | 3500  |

## HJ-T002



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Aluminium  
 CCT: 3000K-6500K

### COLOR



Black




Dark Gray

| Item No. | Power | LM   | Voltage  | A   | B    | C(mm) |
|----------|-------|------|----------|-----|------|-------|
| HJ-T002  | 20W   | 1800 | 110-265V | 120 | 1500 | 2500  |





## HJ-T005



CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: Aluminium  
CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No. | Power | LM   | Voltage  | A    | B    | C(mm) |
|----------|-------|------|----------|------|------|-------|
| HJ-T005  | 20W   | 1800 | 110-265V | φ145 | 1500 | 2500  |

## HJ-T006



CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: Aluminium  
CCT: 3000K-6500K

### COLOR




Black




Dark Gray

| Item No. | Power | LM   | Voltage  | A    | B    | C(mm) |
|----------|-------|------|----------|------|------|-------|
| HJ-T006  | 20W   | 1800 | 110-265V | φ145 | 1500 | 2500  |





## HJ-T007



CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: Aluminium  
CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No. | Power | LM   | Voltage  | A   | B    | C(mm) |
|----------|-------|------|----------|-----|------|-------|
| HJ-T007  | 20W   | 1800 | 110-265V | 120 | 1500 | 2500  |

## HJ-T008



CRI: 80  
PF: 0.6  
Ingress Protection: IP54  
Material: Aluminium  
CCT: 3000K-6500K

### COLOR



Black



Dark Gray


| Item No. | Power | LM   | Voltage  | A   | B    | C(mm) |
|----------|-------|------|----------|-----|------|-------|
| HJ-T008  | 20W   | 1800 | 110-265V | 125 | 1500 | 2500  |







## HJ-T009



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Aluminium  
 CCT: 3000K-6500K

### COLOR




Black



Dark Gray

| Item No. | Power | LM   | Voltage  | A   | B    | C(mm) |
|----------|-------|------|----------|-----|------|-------|
| HJ-T009  | 20W   | 1800 | 110-265V | 200 | 1500 | 2500  |

## HJ-T010



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Aluminium  
 CCT: 3000K-6500K

### COLOR



Black



Dark Gray


| Item No. | Power | LM   | Voltage  | A   | B   | C(mm) |
|----------|-------|------|----------|-----|-----|-------|
| HJ-T010  | 50W   | 1800 | 110-265V | 150 | 150 | 3000  |





1 LIGHTS

## HJ-T011




CRI: 80  
 PF: 0.6  
 Protection class: IP54  
 Material: Glass+Aluminium  
 CCT: 3000K-6500K

### COLOR



| Item No. | Power | LM   | Voltage  | A   | B   | C  | D(mm) |
|----------|-------|------|----------|-----|-----|----|-------|
| HJ-T011  | 30W   | 2700 | 110-265V | 800 | 150 | 80 | 3500  |

## HJ-T012



CRI: 80  
 PF: 0.6  
 Ingress Protection: IP54  
 Material: Aluminium  
 CCT: 3000K-6500K

### COLOR




| Item No. | Power | LM   | Voltage  | A    | B    | C(mm) |
|----------|-------|------|----------|------|------|-------|
| HJ-T012  | 20W   | 1800 | 110-265V | φ145 | 1500 | 2500  |





## HJ-T013




CRI : 80  
 PF : 0.6  
 Ingress Protection : IP54  
 Material : Aluminium+PC  
 CCT : 3000K/6500K

### COLOR



| Item No. | Power | LM   | Voltage  | A    | B    | C <sub>(mm)</sub> |
|----------|-------|------|----------|------|------|-------------------|
| HJ-T013A | 20W   | 900  | 110-265V | Φ150 | 2860 | 3000              |
| HJ-T013B | 30W   | 1350 | 110-265V | Φ200 | 2860 | 3000              |

## HJ-T014



CRI : 80  
 PF : 0.6  
 Ingress Protection : IP54  
 Material : Aluminium+PC  
 CCT : 3000K/6500K

### COLOR




| Item No. | Power | LM   | Voltage  | A    | B    | C <sub>(mm)</sub> |
|----------|-------|------|----------|------|------|-------------------|
| HJ-T014A | 20W   | 900  | 110-265V | Φ150 | 2860 | 3000              |
| HJ-T014B | 30W   | 1350 | 110-265V | Φ200 | 2860 | 3000              |





## HJ-T015



CRI : 80

PF : 0.6

Ingress Protection : IP54

Material : Aluminium+PC

CCT : 3000K/6500K

### COLOR



Dark Gray



Black

| Item No. | Power | LM   | Voltage  | A    | B    | C(mm) |
|----------|-------|------|----------|------|------|-------|
| HJ-T013  | 40W   | 3200 | 110-265V | Φ200 | 1800 | 3000  |